


Technische Daten





Artikelnummer:

228 350

















Kontrolliert durch:






Q1- Qualitätsklasse für Fenster und Türen/
 *Fenster und Türen sind mit Sprossen

Pos		Stck	Profil (mm)	Länge (mm)
001		1	28x114	3400
002		1	28x100	3400
003		16	28x114	3200
004		1	28x57	3200
006		32	28x114	2600
009		34	28x114	883
010		2	28x57	883
WA-1		1		
WB-1		1		
FH2		2	70x45	3000
FH1		2	70x45	2260
PF1		2	44x145	3400
	DACHBRETTEN	31+1	113x16	2827
G02-1	GIEBELBRETTEN 18x120	2	18x120	2845
G05-1	GIEBELDECKLEISTEN 18x40	2	18x40	2827
T02-1	TRAUFBRETTEN 18x120	1	18x120	3436
T01-1	TRAUFBRETTEN 18x95	1	18x95	3400
T04-1	TRAUFEDECKLEISTEN 18x40	1	18x40	3436
T06-1	TRAUFELEISTEN 18x40		18x40	7,0 lfdm
SM-1	Sturmleisten	2	18x40	1767
SM-2	Sturmleisten	2	18x40	2109
SH	Schlaghölzer	3		
NG2 550	NÄGEL 2.5x50 Dachbretter	248		
SR3 030	SCHRAUBEN 3.0x30 Traufenleisten	14		
SR3 545	SCHRAUBEN 3.5x45 Giebelbretter	14		

Pos		Stck	Profil (mm)	Länge (mm)	
	<p style="text-align: center;">TÜR 1425x1945 D1-D28R-78C-14251945</p> <p>Q1 D204-RC 1425</p>  <div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 5px; width: 45%;"> <p>Right handed / DIN rechts / paremakäeline</p> </div> <div style="border: 1px solid black; padding: 5px; width: 45%;"> <p>Clear opening/ durchgangsmaß/ ava suurus 1337x1857mm</p>  </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="border: 1px solid black; padding: 5px; width: 45%;"> <p>Clear float glass klares Floatglas kirgas klaas</p> </div> <div style="border: 1px solid black; padding: 5px; width: 45%;">  <p>505x1230mm</p> </div> </div>	1			
PROSS H11-1	Q1-1 Muntins - Sprossen - Prossid horizontal 18x18		6	18x18	530
PROSS V13-1	Q1-3 Muntins - Sprossen - Prossid vertical 18x18		2	18x18	1255
SR25 15-02	2.5x15 Locking plate - Schließblech - Riivi vastus 01 Q1		4		
SR30 22-01	3.0x20ÜP Muntins - Sprossen - Prossid		16		
SR30 25-01	3.0x25 Polt hinges - Bolzen Scharnier - Polthing		16		
SR40 50-01	4.0x50 Polt hinges - Bolzen Scharnier - Polthing		12		
SR50 90-01	5.0x90 Door frames - Türrahmen - Ukselengid		8		
RV0 1-01	Locking plate - Schließblech - Riivi vastus 01 Q1		2		
H03-Q1	Polt hinges - Bolzen Scharnier - Polthing Q1 Ø15 57mm		4		
LS-Q1	Q1 - Cylinder lock - Zylinderschloss - Lukusüdamik 30_30		1		
UL-Q1	Q1 Door handle - Türgriff - Ukselink		1		



- Uks Q1 - koostamisjuhised
- Door Q1 - assembly instructions
- Tür Q1 - Montageanleitung

