



The JUWEL Sustainability.

A CO₂ footprint as small as possible has always been a special concern for JUWEL.



Clever products for garden and home

Just amazing



Rotary clothes dryers



Indoor dryers



Wall mounted dryers



Compost bins



Raised bed Timber



Cold frames

Products

PRODUCT RANGE



Clever products for
garden and home
Just amazing

10
YEARS
SPARE PART
WARRANTY

ROTARY CLOTHES DRYERS

Premium Models	3
Opening and Tightening Handle Models	4
Standard Models	4
Accessories	5/6

INDOOR DRYERS

Premium Models	7/8
Standard Models	8
Wall Mounted Dryers	9/10

COMPOST BINS

Kitchen Composter	12
Multiple Chamber Composter	12
Thermo Composter	12/13
Bio Composter	13
Accessories	13

RAISED BED

Complete Sets	14/15
Supplements	15
Accessories	16

COLD FRAMES

Premium Models	17
Easy-Fix Models	17
Thermo Cold Frames	18
Tortoise Home	19
Vertical Garden	19

ROTARY CLOTHES DRYERS



Description	Art. no.	Washing machine loads circa	Line length circa	Diameter circa	Span circa	Pole ø	Automatic protection cover	Protection cover with zip fastener	Height adjustment circa	Clamping technology	Helical shaped grounding tube with screw-in tool	Helical-shaped grounding tube	Ground socket	Brackets for clothes hangers	Guarantee (years)
Futura Elegant XXL LIFT	30319	5-6	Twaron 51,5 m	3,33 m	2,35 m	55 mm	✓		165 - 190 cm	Integrated gas spring	✓			✓	10
Novaplust Evolution LIFT	30097	5-6	Twaron 51,0 m	2,95 m	2,07 m	50 mm	✓		160 - 180 cm	Integrated gas spring	✓			✓	10
Novaplust 600 LIFT	30091	5-6	51,0 m	2,95 m	2,07 m	50 mm	✓		160 - 180 cm	Opening and tightening handle		✓		✓	5
Novaplust 600 EASY	30090	5-6	51,0 m	2,95 m	2,07 m	50 mm	✓			Opening and tightening handle		✓		✓	5
Novaplust 500 EASY	30087	4-5	42,5 m	2,75 m	1,95 m	50 mm	✓			Opening and tightening handle		✓		✓	5
Comfort Plus 600	30329	5-6	52,1 m	2,94 m	2,08 m	50 mm		✓	140 - 175 cm	Double rope hoist		✓		✓	2
Prima 600	30105	5-6	52,1 m	2,94 m	2,08 m	40 mm				2-stage latching technology		✓	✓	✓	2


Premium Rotary Clothes Dryer Futura Elegant XXL Lift



Automatic opening – pull the handle or lift the lever a little (integrated gas spring)



Protection cover with protection cap; helical shaped grounding tube with screw-in tool; height adjustment – using height circa 6.4-5.4 ft (165-190 cm); circa 169 ft (51.5 m) stretch free special Twaron clothes line for up to 5-6 washing machine loads; 2.2" (55 mm) pole, corrosion-free, titanium look; torsion-resistant aluminium double profil arms; line stoppers – for always tight lines; with linen fixation; brackets for clothes hangers; 10 years guarantee

Art. no.	Description	Units	BARCODE
30319	Futura Elegant XXL Lift Line length: circa 169 ft (51.5 m) Span: circa 7.71 ft (235 cm) ø 10.93 ft (333 cm)	Sales unit: 1 Pallet: 40 pcs. Box: 20 pcs.	 9 001567 303192

Premium Rotary Clothes Dryer Novaplust Evolution Lift



Automatic opening mechanism: opens and tightens lines automatically through integrated gas spring



Protection cover with automatic protection cap; height adjustment – using height circa 5.25-5.91 ft (160-180 cm); helical-shaped grounding tube to screw or fix with concrete; about 167 ft (51 m) clothes line for up to 5-6 washing machine loads; 2" anodized pole, titanium color; anodized aluminium double profile arms, titanium color; line stoppers for always tight lines; with linen fixation; brackets for clothes hangers; 10 years guarantee

Art. no.	Description	Units	BARCODE
30097	Novaplust Evolution Lift Line length: circa 167 ft (51 m) Span: circa 6.79 ft (207 cm) ø 9.68 ft (295 cm)	Sales unit: 1 Pallet: 40 pcs. Box: 20 pcs.	 9 001567 300979

ROTARY CLOTHES DRYERS

Opening And Tightening Handle Novaplus 600 LIFT



Revolutionary Opening And Tightening Handle

Integrated protection cover with automatic protection cap; 6-times height adjustment: using height between 5.25 ft and 5.91 ft; about 167 ft clothes line for up to; 5-6 washing machine loads; 2" anodized pole; anodized aluminium double profile arms; line stoppers for always tight lines; with linen fixation; brackets for clothes hangers; helical-shaped grounding tube to screw or fix with concrete; 5 years guarantee



Art. no.	Description	Units	BARCODE
30091	Novaplus 600 LIFT Line length: circa 167 ft (51 m) Span: circa 6.79 ft (207 cm) ø 9.68 ft (295 cm)	Sales unit: 1 Pallet: 40 pcs. Box: 20 pcs.	 9 001567 300917



Opening And Tightening Handle Novaplus EASY




Revolutionary Opening And Tightening Handle

Integrated protection cover with automatic protection cap; about 167 ft (51 m) clothes line for up to 5-6 washing machine loads; 2" (50 mm) anodized pole; anodized aluminium double profile arms; line stoppers for always tight lines; with linen fixation; brackets for clothes hangers; helical-shaped grounding tube to screw or fix with concrete; 5 years guarantee



Art. no.	Description	Units	BARCODE
30090	Novaplus 600 EASY Line length: circa 167 ft (51 m) Span: circa 6.79 ft (207 cm) ø 9.68 ft (295 cm)	Sales unit: 1 Pallet: 40 pcs. Box: 20 pcs.	 9 001567 300900
30087	Novaplus 500 EASY Line length: circa 139 ft (42.5 m) Span: circa 6.40 ft (195 cm) ø 9 ft (275 cm)	Sales unit: 1 Pallet: 40 pcs. Box: 20 pcs.	 9 001567 300870


Standard Rotary Clothes Dryer Comfort Plus 600



Incl. protection cover with zip fastener

Variable height adjustment: 4.6-5.7 ft; about 171 ft clothes line for up to 5-6 washing machine loads; 2" aluminium pole; rectangular aluminium arms; line stoppers for always tight lines; brackets for clothes hangers; helical-shaped grounding tube; 2 years guarantee



Art. no.	Description	Units	BARCODE
30239	Comfort Plus 600 Line length: circa 171 ft (52.1 m) Span: circa 6.82 ft (208 cm) ø 9.65 ft (294 cm)	Sales unit: 5 Pallet: 60 pcs.	 9 001567 302393

Standard Rotary Clothes Dryer Prima 600



Incl. ground socket

Circa 171 ft clothes line; 2-level lock mechanism: using height about 5.6 ft; 1.6" aluminium pole; rectangular aluminium arms; line stoppers for always tight lines; brackets for clothes hangers; ground socket; 2 years guarantee




Art. no.	Description	Units	BARCODE
30105	Prima 600 Line length: circa 171 ft (52.1 m) Span: circa 6.82 ft (208 cm) ø 9.65 ft (294 cm)	Sales unit: 5 Pallet: 80 pcs. Box: 35 pcs.	 9 001567 301051

Accessory DUO Helical-shaped grounding tube



Fix with or without concrete

For tubes with \varnothing 2.2" | 2.0" | 1.6" | 1.26" (55 | 50 | 40 | 32 mm); screw-in tool included for screwing in on floor level without trip hazard (only by JUWEL)

Art. no.	Description	Units	BARCODE
30026	DUO Helical-shaped grounding tube	Sales unit: 10	

Accessory Screw-in Ground Socket



Fix with or without concrete

For tubes with \varnothing 2.2" | 2.0" | 1.6" (55 | 50 | 40 mm); screw-in tool included for screwing in on floor level without trip hazard (only by JUWEL)



Art. no.	Description	Units	BARCODE
30028	Screw-in Ground Socket	Sales unit: 12	

Accessory Aluminium Ground Socket




For concreting

With waterproof lid


Art. no.	Description	Units	BARCODE
30113	Aluminium Ground Socket \varnothing 2.2" (55 mm); for the models: Futura, Futura Premium, Luxus	Sales unit: 5	
30114	Aluminium Ground Socket \varnothing 2" (50 mm); for the models: Novamatic, Novamatic Premium, Novaplus Evolution, Novaplus, Brillant, Exclusiv, Prestige, Comfort Plus, Exquisit	Sales unit: 5	



Accessory Eyelets assortment



\varnothing 0.3" (8 mm); for Juwel rotary clothes dryers; contents/pack.: about 100 pieces

Art. no.	Description	Units	BARCODE
30246	Eyelets assortment	Sales unit: 1	



ACCESSORIES

Accessory Clothes Line



For all JUWEL clothes dryers

Circa 203 ft (62 m)



Art. no.	Description	Units	BARCODE
30024	TWARON Clothes Line 203 ft Dirt-repellent non-elastic clothes line with super strong fibre core	Sales unit: 5	 9 001567 300245
30021	Clothes Line 203 ft Coated in white	Sales unit: 5	 9 001567 300214

Accessory Protection Cover; silver




For models with automatic protection cover

Without weight; without protection cap

Art. no.	Description	Units	BARCODE
30337	Protection Cover, silver For models JUWEL rotary clothes dryer Futura and Novamatic Premium, Novaplus Evolution, Novaplus; with beads to hang	Sales unit: 5	 9 001567 303376
30236	Protection Cover, silver For models JUWEL rotary clothes dryer Futura, Novamatic K models; with lace fastener	Sales unit: 5	 9 001567 302362

Accessory Protection Cover With Zip Fastener



Protects against dirt

For clothes dryers, garden umbrellas, etc.; length: ~ 5.9 ft (180 cm), zip fastener appr. 2.6 ft (80 cm)


Art. no.	Description	Units	BARCODE
30211	Protection Cover With Zip Fastener	Sales unit: 5	 9 001567 302119

Accessory Crease Stop



Stop creasing when drying

Clip on plastic profile; prevents creasing when drying; all-weather, UV resistant; simple handling; very easy to clean

Art. no.	Description	Units	BARCODE
40143	Crease Stop Contents/pack.: 4 pieces Dim.: circa 19.5" x 1.1" x 0.67" (49.5 x 2.8 x 1.7 cm)	Sales unit: 10 Pallet: 780 pcs.	 9 001567 401430



Ceiling Dryer Samba 200 | Samba 140



The dryer which comes down from the ceiling

Easy installation on the ceiling; lowering down; stays fix in every position; lowering down from ceiling: up to 3.94 ft (120 cm); the clothes dryer disappears in the ceiling frame and is protected against dirt; corrosion resistant aluminium and stable, weather resistant plastic parts; 5 years guarantee



Art. no.	Description	Units	BARCODE
30040	Samba 200 Drying surface about 4.92 × 2.59 ft (150 × 79 cm); dim. of ceiling assembly about 4.92 × 2.59 ft (196 × 8 cm); drying length about 62 ft (18.9 m)	Sales unit: 1 Pallet: 40 pcs.	 9 001567 300405
NEW 30041	Samba 140 (available from Q1/2024) Drying surface about 3.44 × 2.59 ft (105 × 79 cm); dim. of ceiling assembly about 4.92 × 0.36 ft (150 × 11 cm); drying length about 45 ft (13.7 m)	Sales unit: 1 Pallet: 40 pcs.	 9 001567 300412


Premium Indoor Dryer Swing 200



The versatile giant clothes dryer for indoor & outdoor

Incl. ground socket for outdoor use; incl. adjustable floor support; variable height adjustment: 3.28–5.7 ft (100–175 cm); drying surface: about 5 × 2.6/1.3 ft (150 × 79/40 cm); about 62 ft (18.9 m) drying length; corrosion resistant aluminium and stable, weather resistant plastic parts; 5 years guarantee



Art. no.	Description	Units	BARCODE
30014	Swing 200	Sales unit: 1 Pallet: 42 pcs.	 9 001567 300146


Premium Indoor Dryer Twist 140



The long life dryer

The only clothes dryer which can be transported fold up with laundry; about 44.9 ft (13.7 m) drying length; corrosion resistant aluminium and stable, weather resistant plastic parts; very small storage space required: when folded, only 0.3 × 0.36 ft (9 × 11 cm), height: 3.4 ft (104 cm); fold-up legs with non-skidding caps, ideal for use in bathtub; incl. wall bracket; 5 years guarantee



Art. no.	Description	Units	BARCODE
30015	Twist 140	Sales unit: 1 Pallet: 72 pcs.	 9 001567 300153


Premium Indoor Dryer FashionDry Plus



The ultimate dryer that withstands wind – and playing children


Re-stretches the line automatically; high performance magnets built into the feet click onto the stainless discs – securely fixed as by magic; circa 59 ft (18 m) drying length; unique, eye-catching design; particularly durable plastic clothesline, model in aluminium; colour design: obsidian grey; dim. about 6.17 × 1.88 × 4.72 ft (188 × 57,5 × 114 cm); 5 years guarantee



Art. no.	Description	Units	BARCODE
40124	FashionDry Plus	Sales unit: 3 Pallet: 18 pcs. Box: 6 pcs.	 9 001567 401249

INDOOR DRYERS

Premium Indoor Dryer FashionDry – Autostretch



Unique design with practical functionality

Re-stretches the line automatically; circa 59 ft (18 m) drying length; unique, eye-catching design; particularly durable plastic clothesline, model in aluminium; colour design: mint; dim. about 6.17 × 1.88 × 4.72 ft (188 × 57,5 × 114 cm); 5 years guarantee



Art. no.	Description	Units	BARCODE
40114	Fashion Dry Autostretch Colour: obsidian grey	Sales unit: 3 Pallet: 18 pcs. Box: 6 pcs.	9 001567 401140

40113	Fashion Dry Autostretch Colour: mint	Sales unit: 3 Pallet: 18 pcs. Box: 6 pcs.	9 001567 401130
-------	--	---	-----------------

Colour: mint

Indoor Dryer SuperDry Maxi



Putting it up is child's play thanks to the special bending hinges

Circa 65.6 ft (20 m) drying length; extra compact and stable; wind and weatherproof; stow away space-saving; a child's play to setup thanks to the articulated hinge; colour design: obsidian grey; dim. about 6.18 × 1.92 × 3.47 ft (188.5 × 58.5 × 106 cm); 3 years guarantee



Art. no.	Description	Units	BARCODE
40100	SuperDry Maxi Colour: obsidian grey	Sales unit: 4 Pallet: 28 pcs.	9 001567 401003

40101	SuperDry Maxi Colour: mint	Sales unit: 4 Pallet: 28 pcs.	9 001567 401010
-------	--------------------------------------	----------------------------------	-----------------

Colour: mint

Indoor Dryer SuperDry Mini



The flexible, space-saving clothes dryer

Circa 39.3 ft (12 m) drying length; also fits in the bathtub, ideal for single households; especially compact and stable; space-saver for small bathrooms, simple to set-up; extraordinarily durable plastic line; colour design: obsidian grey; dim. about 5.48 × 1.39 × 3.08 ft (167 × 42.5 × 93.8 cm); 3 years guarantee



Art. no.	Description	Units	BARCODE
40102	SuperDry Mini Colour: obsidian grey	Sales unit: 4 Pallet: 40 pcs.	9 001567 401027

40103	SuperDry Mini Colour: mint	Sales unit: 4 Pallet: 40 pcs.	9 001567 401034
-------	--------------------------------------	----------------------------------	-----------------

Colour: mint

Indoor Dryer SuperDry Basic



Space-saving quality clothes dryer

Circa 36 ft (11 m) drying length; space-saving for bathroom and balcony; easy opening due to special hinge; genuine clotheslines instead of steel bars, model in Aluminium; compact and stable, wind and weatherproof; colour design: mint; dim. about 3.58 × 1.9 × 2.8 ft (109.3 × 58 × 86.2 cm); 3 years guarantee



Art. no.	Description	Units	BARCODE
40110	SuperDry Basic Colour: mint	Sales unit: 3 Pallet: 36 pcs.	9 001567 401102

40111	SuperDry Basic Colour: obsidian grey	Sales unit: 3 Pallet: 36 pcs.	9 001567 401119
-------	--	----------------------------------	-----------------

Colour: mint



Wall Mounted Dryer RuckZuck



4 Modelle
6,6M 8M
3,8M 5,2M

20 KG indoor/outdoor



Classical – practical – weatherproof

Enormous carrying capacity (circa 44 lb / 20 kg); for inside and outside; plastic-coated steel rods in silver, aluminium sides; saves space in resting position; weatherproof; 7 rods; 3 years guarantee



Art. no.	Description	Units	BARCODE
40130	RuckZuck 60 Drying length: circa 12.5 ft (3.8 m) Space requirement open: circa 1.97 × 0.64 × 1.5 ft (60 × 19.6 × 46 cm) Drilling distance: circa 1.75 ft (53.3 cm), I 0.4 ft (12.4 cm)	Sales unit: 4 Pallet: 96 pcs.	 9 001567 401300
40131	RuckZuck 80 Drying length: circa 17 ft (5.2 m) Space requirement open: circa 2.69 × 0.64 × 1.5 ft (80 × 19.6 × 46 cm) Drilling distance: circa 2.4 ft (73.3 cm), I 0.4 ft (12.4 cm)	Sales unit: 4 Pallet: 72 pcs.	 9 001567 401317
40132	RuckZuck 100 Drying length: circa 21.6 ft (6.6 m) Space requirement open: circa 3.28 × 0.64 × 1.5 ft (100 × 19.6 × 46 cm) Drilling distance: circa 3.1 ft (93.3 cm), I 0.4 ft (12.4 cm)	Sales unit: 4 Pallet: 56 pcs.	 9 001567 401324
40133	RuckZuck 120 Drying length: circa 26.2 ft (8.0 m) Space requirement open: circa 3.87 × 0.64 × 1.5 ft (118 × 19.6 × 46 cm) Drilling distance: circa 3.7 ft (111.3 cm), I 0.4 ft (12.4 cm)	Sales unit: 4 Pallet: 48 pcs.	 9 001567 401331

Wall Mounted Dryer ArtDry



3 Modelle
8,7M
6,1M 4M

12 KG indoor/outdoor



colour: obsidian grey

The art of drying

Design for a beautiful bath; ingenious, concealable technology; plastic-coated steel rods; towel rod with hooks; carrying capacity circa 26.5 lb / 12 kg; 3 years guarantee



Art. no.	Description	Units	BARCODE
40148	ArtDry 70 – obsidian grey Drying length: circa 13.1 ft (4 m) Space requirement open: circa 2.5 × 0.3 × 1.3 ft (76 × 10.5 × 38.5 cm) Drilling distance: circa 2.1 ft (63 cm)	Sales unit: 4 Pallet: 160 pcs. Box: 25 pcs.	 9 001567 401485
40138	ArtDry 70 – white Drying length: circa 13.1 ft (4 m) Space requirement open: circa 2.5 × 0.3 × 1.3 ft (76 × 10.5 × 38.5 cm) Drilling distance: circa 2.1 ft (63 cm)	Sales unit: 4 Pallet: 160 pcs.	 9 001567 401386
40139	ArtDry 80 – white Drying length: circa 20 ft (6.1 m) Space requirement open: circa 2.8 × 0.3 × 1.3 ft (86 × 10.5 × 43.5 cm) Drilling distance: circa 2.4 ft (72.8 cm)	Sales unit: 4 Pallet: 132 pcs.	 9 001567 401393
40140	ArtDry 100 – white Drying length: circa 28.5 ft (8.7 m) Space requirement open: circa 3.5 × 0.3 × 1.3 ft (106 × 10.5 × 53.5 cm) Drilling distance: circa 3.0 ft (92.7 cm)	Sales unit: 4 Pallet: 112 pcs.	 9 001567 401409

INDOOR DRYERS

Bathtub Dryer SuperDry Wing



Perfect solution for bathtub, shower and balcony

Circa 28.87 ft (8.8 m) drying length; for use in the bathtub, the shower and on the balcony; compact and stable; space-saver for small bathrooms, simple to set-up; extraordinarily durable plastic line; dim. about 3.38 × 1.97 × 0.23 ft (103.1 × 60.1 × 7.1 cm); 3 years guarantee



Art. no.	Description	Units	BARCODE
40106	SuperDry Wing Colour: obsidian grey	Sales unit: 3 Pallet: 72 pcs.	9 001567 401065
40107	SuperDry Wing Colour: mint	Sales unit: 3 Pallet: 72 pcs.	9 001567 401072

Wall Mounted Dryer RollDry



The most important supporting role for your laundry

Approx. 5 × 13.78 ft (4.2 m) drying length to pull out; excellent design; tightening and securing technology; automatic retracting mechanism; length: about 1.4 ft (43.5 cm); drilling distance: about 1.25 ft (38.2 cm); 3 years guarantee



Art. no.	Description	Units	BARCODE
40142	RollDry	Sales unit: 4 Pallet: 352 pcs.	9 001567 401423

Balcony Dryer Piccolo



Small and practical

Circa 9.8 ft (3 m) drying length; saves space; for light laundry; fastening adjustable to 4.7" (12 cm); immediately ready for action; dim. about 1.67 × 1.08 × 0.4 ft (51 × 33 × 13 cm)

Art. no.	Description	Units	BARCODE
40147	Piccolo	Sales unit: 12 Pallet: 396 pcs.	9 001567 401478



EUR pallet

Rotary clothes dryer
in a Vario Presenter



EUR pallet

Area concept
indoor dryer and wall mounted dryer



EUR pallet



1/2 pallet

Rotary clothes dryer
in a Vario Presenter



1/2 pallet

Presentation display
indoor dryer FashionDry



1/2 pallet

Presentation display
indoor dryer SuperDry Maxi



1/4 pallet

Rotary clothes dryer
in a Vario Presenter



1/4 pallet

Presentation display
indoor and ceiling dryer



1/4 pallet

Presentation display
screw-in ground socket



1/4 pallet

Presentation display
ArtDry



1/4 pallet

Presentation display
RuckZuck

COMPOST BINS


Bokashi Kitchen Compost Bin "Sensei"



The green innovation for your kitchen

Save yourself the daily trip to the organic waste; up to 4 weeks without emptying; ferments the organic kitchen waste to a minimum; hardly any odor development due to the high-quality activated carbon filter and the airtight lid; no dirty hands; practical emptying of the fermented solids with the hygienic removable inner container into the organic waste, the garden compost or into the raised bed; the resulting, biological liquid (compost tea) serves in a ratio of 1 to 30 diluted with water as organic plant fertilizer or can be used as a drain cleaner; hygienic and durable, made of bio-based plastic (40 % plastic reduction); 5 years guarantee





Art. no.	Description	Units	BARCODE
20200	Bokashi Kitchen Compost Bin "Sensei" Dim.: about ø 10.6" (27 cm), height 22.4" (57 cm) Capacity: about 11 liters	Sales unit: 6 Pallet: 32 pcs.	 9 001567 202006

Accessory Bokashi Granulate / Activated Carbon Filter



Ideal complement for your kitchen compost bin

Art. no.	Description	Units	BARCODE
20198	Bokashi Granules Fermentation aid as a supplement to the JUWEL Bokashi Kitchen Compost Bin "Sensei" Capacity: about 1.54 lb (0.7 kg)	Sales unit: 10	 9 001567 201986
20199	Activated Carbon Filter 2 pcs. per package	Sales unit: 10	 9 001567 201993


Compost Bin AEROPLUS 6000



Composting with the test winner

Intelligent multiple chamber compost bin - turning over takes place inside the compost bin; composting with the 3-phase system; adjustable ventilation, possible adaptation for summer and winter; windproof big flap, protects from pests; easy removal with 2 big discharge flaps; 5 years guarantee



Art. no.	Description	Units	BARCODE
20171	AEROPLUS 6000 Dim.: about 2.59 × 2.59 ft (79 × 79 cm), height 3.6 ft (110 cm) Capacity: about 600 liters	Sales unit: 1 Pallet: 6 pcs.	 9 001567 201719



PREMIUM Thermo Compost Bin Aeroquick 890 XXL | 690



Active ventilation system with integrated air ducts - only by JUWEL

Extra large hinged lid with protection against wind; conical form for better decomposition and rapid reduction of volume; big hatches on 2 sides; high quality UV-resistant recycled plastic; 5 years guarantee



Art. no.	Description	Units	BARCODE
20157	Aeroquick 890 XXL Dim.: about 3.5 × 3.5 ft (107 × 107 cm), height 3.57 ft (109 cm) Capacity: about 900 liters	Sales unit: 1 Pallet: 8 pcs.	 9 001567 201573
20158	Aeroquick 690 Dim.: about 3.08 × 3.08 ft (94 × 94 cm), height 3.57 ft (109 cm) Capacity: about 700 liters	Sales unit: 1 Pallet: 10 pcs.	 9 001567 201580


Thermo Compost Bin Aeroquick 290



Active ventilation system through integrated air ducts - only by JUWEL



Hinged lid with protection against wind; conical form for better decomposition and rapid reduction of volume; hatches on 2 sides; high quality UV-resistant recycled plastic; 5 years guarantee

Art. no.	Description	Units	BARCODE
20172	Aeroquick 290 Dim.: about 2.4 × 2.4 ft (72 × 72 cm), height 2.6 ft (80 cm) Capacity: about 290 liters	Sales unit: 1 Pallet: 20 pcs.	 9 001567 201726



Compost Bin BIO 600 | 400



Active ventilation system through integrated air ducts - only by JUWEL



Made of weather resistant recycled plastic; thick insulating walls keeping heat inside; 2-part flap; 3 years guarantee


Art. no.	Description	Units	BARCODE
20153	BIO 600 Dim.: about 2.53 × 2.53 ft (77 × 77 cm), height 3.3 ft (100 cm) Capacity: about 600 liters	Sales unit: 10 Pallet: 10 pcs.	 9 001567 201535
20161	BIO 400 Dim.: about 2.43 × 2.43 ft (74 × 74 cm), height 2.76 ft (84 cm) Capacity: about 400 liters	Sales unit: 20 Pallet: 10 pcs.	 9 001567 201610

Accessory Rodent Grate



Protects against rodents

Made of plastic; for all JUWEL Aeroquick models and all compost bins up to ground dimension: 2.7 × 2.7 ft (82 × 82 cm), extensible from circa 3.22 ft to 3.67 ft (98 cm to 112 cm)


Art. no.	Description	Units	BARCODE
20178	Rodent Grate 82 × 82 cm	Sales unit: 5	 9 001567 201788

Accessory Spare Parts Set




For all Aeroquick compost bins and Grüneck

Content: 5 clamps, 2 cover plugs, 2 cover fixings

Art. no.	Description	Units	BARCODE
20176	Spare Parts Set	Sales unit: 5	 9 001567 201764

RAISED BEDS

Raised Bed Timber Ergoline



The natural look of wood – with the durability of plastic

Ergonomic design allows to plant and harvest from one single point, various ways of assembly; high heat insulation due to eco-friendly foam wall structure; 2 rows (24 elements) in nordic wood design with stabilizers; 3 years guarantee



Art. no.	Description	Units	BARCODE
20479	Ergoline Dim.: about 6.1 × 4.1 ft (185 × 125 cm), height 1.3 ft (40 cm); U form Capacity: about 790 liters Colour: nordic wood	Sales unit: 1 Pallet: 6 pcs.	 9 001567 204796

Raised Bed Timber Combi Set



The natural look of wood – with the durability of plastic

Raised bed with 1.97 ft (60 cm) height; cold frame 130/60 with window fixation included – for ideal planting and harvesting; high heat insulation due to eco-friendly foam wall structure; 3 rows (18 elements) in nordic wood design with stabilizing; 3 years guarantee



Art. no.	Description	Units	BARCODE
20478	Combi Set Dim.: about 4.27 × 1.97 ft (130 × 60 cm), height 2.95/3.28 ft (90/100 cm) Capacity: about 360 liters Colour: nordic wood	Sales unit: 1 Pallet: 6 pcs.	 9 001567 204789

Raised Bed Timber for terrace or balcony



The natural look of wood – with the durability of plastic

Watertight plant tray included with tube for draining off excess rainwater or for control of water level indoor; approx. 30 liters water reservoir is enough for 10–14 days; high heat insulation due to eco-friendly foam wall structure in nordic wood design; 2 rows (12 elements) in nordic wood design with stabilizers; 3 years guarantee



Art. no.	Description	Units	BARCODE
20469	For terrace or balcony Dim.: about 4.27 × 1.97 ft (130 × 60 cm), height 1.35 ft (41 cm) Capacity: about 125 liters Colour: nordic wood	Sales unit: 1 Pallet: 5 pcs.	 9 001567 204697

Raised Bed Timber 4 Rows | 3 Rows



The natural look of wood – with the durability of plastic

High heat insulation due to eco-friendly foam wall structure in nordic wood design; with stabilizing struts; useful additional accessories like the cold frame 130/60 (art. no. 20342) or slug barriers (art. no. 20448); 3 years guarantee



Art. no.	Description	Units	BARCODE
20470	4 Rows Dim.: about 4.27 × 1.97 ft (130 × 60 cm), height 2.62 ft (80 cm) Capacity: about 480 liters Colour: nordic wood	Sales unit: 1 Pallet: 6 pcs.	 9 001567 204703
20471	3 Rows Dim.: about 4.27 × 1.97 ft (130 × 60 cm), height 1.97 ft (60 cm) Capacity: about 360 liters Colour: nordic wood	Sales unit: 1 Pallet: 8 pcs.	 9 001567 204710

Raised Bed Timber Plant Stairs



Garantiert
Gewinn
keine / no

Raised Bed Timber Versatile Coldframe



Garantiert
Gewinn
keine / no



Raised Bed Timber Basic or Extension Set



Garantiert
Gewinn
keine / no

Raised Bed Timber Extension Set




Garantiert
Gewinn
keine / no

The natural look of wood – with the durability of plastic

Not only decorative eye-catcher, but also usable as a practical boundary in the garden; high heat insulation due to eco-friendly foam wall structure; three-stage (18 elements) in nordic wood design with stabilizers; 3 years guarantee




Art. no.	Description	Units	BARCODE
20472	Plant Stairs Dim.: about 6.23 × 1.97 ft (190 × 60 cm), height 1.97 ft (60 cm) Capacity: about 450 liters Colour: nordic wood Available from Q1/2024	Sales unit: 1 Pallet: 8 pcs.	 9 001567 20472

NEW

The natural look of wood – with the durability of plastic

2 thermo-windows with windproof catches included; high heat insulation due to eco-friendly foam wall structure; 2 rows (12 elements) in nordic wood design with stabilizing struts; 3 years guarantee




Art. no.	Description	Units	BARCODE
20474	Versatile Coldframe Dim.: about 4.27 × 1.97 ft (130 × 60 cm), height 1.7 ft (52 cm) (with closed thermo-windows) Capacity: about 240 liters Colour: nordic wood	Sales unit: 1 Pallet: 8 pcs.	 9 001567 20474

The natural look of wood – with the durability of plastic


High heat insulation due to eco-friendly foam wall structure; 1 row (6 elements) in nordic wood design with stabilizing struts; also for extension in height for art. no. 20474, art. no. 20469 and art. no. 20471; 3 years guarantee



Art. no.	Description	Units	BARCODE
20476	Basic or Extension Set Dim.: about 4.27 × 1.97 ft (130 × 60 cm), height 0.66 ft (20 cm) Capacity: about 120 liters Colour: nordic wood	Sales unit: 1 Pallet: 12 pcs.	 9 001567 20476

The natural look of wood – with the durability of plastic

High heat insulation due to eco-friendly foam wall structure; 2 elements in nordic wood design with stabilizing struts; not suitable for Raised Bed „Timber“ Ergoline

Art. no.	Description	Units	BARCODE
20477	Extension Set Dim.: about 1.97 × 0.66 ft (60 × 20 cm) Capacity: about + 60 liters Colour: nordic wood	Sales unit: 1	 9 001567 20477


RAISED BEDS

Accessory Slug Barriers



Secure, eco-friendly and poison free protection against snails

4 corner pieces included: for an all-round protection; perfect for 6 elements or a border of 11.91 ft (3.6 m); not suitable for Raised Bed „Timber“ Ergoline


Art. no.	Description	Units	BARCODE
20448	Slug Barriers Content/package: 6 pcs. slug barrier with 4 pcs. corner Colour: nordic wood	Sales unit: 1	 9 001567 204482

Accessory Thermal Window Cover



Ideal for growing

For all JUWEL raised beds size 4.27 × 1.97 ft (130 × 60 cm) or as a spare part for raised beds with thermal window covers; contents: 2 thermal window covers, 8 hinges, 4 vent openers


Art. no.	Description	Units	BARCODE
20337	Thermal Window Cover Dim.: about 1.94 × 1.84 ft (59 × 56 cm), height 0.39 ft (12 cm)	Sales unit: 1 Pallet: 24 pcs.	 9 001567 203379

Accessory Rodent Grate for Raised Bed



As protection against voles and Co

Galvanized grate with plastic coating


Art. no.	Description	Units	BARCODE
20183	Rodent Grate for Raised Bed Dim.: about 4.27 × 16.4 ft (1,3 × 5 m) Grate dim.: about 0.51" × 0.51" (13 × 13 mm) Wire gauge: 0.051" (1,3 mm)	Sales unit: 4	 9 001567 201832

Accessory LED-light



Applicable and retrofittable for JUWEL garden elements

With strong 300 mAh-battery – exchangeable

Art. no.	Description	Units	BARCODE
20105	LED-light Content/package: 1 piece	Sales unit: 10	 9 001567 201054



Premium Cold Frame Biostar 1500



Garantie: 5 Jahre
Material: Polycarbonat
Klima: kein/no

Garantie: 10 Jahre
Material: Polycarbonat
Klima: kein/no

The cold frame with automatic ventilation

"NO DRIP" coating prevents from condensation and reduces drops falling on plants; incl. automatic window opener for automatic ventilation depending on temperature; 3 windows with removable and adjustable windproof catches; user friendly due to rounded plastic corner parts; 0.3" (8 mm) thermo-double skin panes (10 years UV-guarantee); with window fixation to maintain the window in open position for comfortable planting and harvesting; 5 years guarantee



Art. no.	Description	Units	BARCODE
20150	Biostar 1500 Dim.: about 4.9 x 2.6 ft (150 x 80 cm), height 1.6/1.3 ft (50/40 cm)	Sales unit: 1 Pallet: 20 pcs. Box: 9 pcs.	 9 001567 201504

Premium Cold Frame Biostar Protect 2000



Garantie: 5 Jahre
Material: Polycarbonat
Klima: kein/no

Garantie: 10 Jahre
Material: Polycarbonat
Klima: kein/no

Cold frame with integrated netting

Year-round protection against cold temperatures, birds, insects, pests, hail and heavy rain; window handle for easy opening and closing; ideal airing conditions with sliding window and netting; user friendly due to rounded plastic corner parts; 0.3" (8 mm) thermo-double skin panes (10 years UV-guarantee); with window fixation to maintain the window in open position for comfortable planting and harvesting; 5 years guarantee



Art. no.	Description	Units	BARCODE
20148	Biostar Protect 2000 Dim.: about 6.56 x 2.51 ft (200 x 76,5 cm), height 1.7/1.4 ft (52/44 cm)	Sales unit: 1 Pallet: 9 pcs. Box: 4 pcs.	 9 001567 201481

PPremium Cold Frame Biostar Protect 1000



Garantie: 5 Jahre
Material: Polycarbonat
Klima: kein/no

Garantie: 10 Jahre
Material: Polycarbonat
Klima: kein/no

Cold frame with integrated netting

Year-round protection against cold temperatures, birds, insects, pests, hail and heavy rain; window handle for easy opening and closing; ideal airing conditions with sliding window and netting; user friendly due to rounded plastic corner parts; 0.3" (8 mm) thermo-double skin panes (10 years UV-guarantee); with window fixation to maintain the window in open position for comfortable planting and harvesting; 5 years guarantee



Art. no.	Description	Units	BARCODE
20151	Biostar Protect 1000 Dim.: about 3.3 x 2.51 ft (100 x 76,5 cm), height 1.7/1.4 ft (52/44 cm)	Sales unit: 1 Pallet: 18 pcs. Box: 8 pcs.	 9 001567 201511

Cold Frame Easy-Fix 120/100 | Easy-Fix 100/60



Garantie: 5 Jahre
Material: Polycarbonat
Klima: kein/no

Garantie: 3 Jahre
Material: Polycarbonat
Klima: kein/no

Easy-Fix click-system. Just click – that's it!


Excellent thermal insulation due to UV-stabilized polycarbonate twin walls 0.16" (4 mm) ; removable window with windproof catches; expandable with Automatic Window Opener (art. no. 20047); with window fixation to maintain the window in open position for comfortable planting and harvesting; 3 years guarantee



Art. no.	Description	Units	BARCODE
20221	Easy-Fix 120/100 2 windows – saddleback roof Dim.: about 3.28 x 3.94 ft (100 x 120 cm), height 1.3/0.98 ft (40/30 cm)	Sales unit: 1 Pallet: 28 pcs. Box: 14 pcs.	 9 001567 202211
20225	Easy-Fix 100/60 1 window Dim.: about 3.28 x 1.97 ft (100 x 60 cm), height 1.3/0.98 ft (40/30 cm)	Sales unit: 1 Pallet: 28 pcs. Box: 14 pcs.	 9 001567 202259

COLD FRAMES

Cold Frame Easy-Fix 120/80



Easy-Fix click-system. Just click – that's it!


Fits ideally to pallets attachment frame (not included); excellent thermal insulation due to UV-stabilized polycarbonate twin walls 0.16" (4 mm); removable window with windproof catches; expandable with Automatic Window Opener (art. no. 20047); with window fixation to maintain the window in open position for comfortable planting and harvesting; 3 years guarantee



Art. no.	Description	Units	BARCODE
20222	Easy-Fix 120/80 2 windows – saddleback roof Dim.: about 3.77 × 2.46 ft (115 × 75 cm), height 1.31 × 0.98 ft (40/30 cm) Available from Q1/2024	Sales unit: 1 Pallet: 28 pcs. Box: 14 pcs.	9 001567 202228



Cold Frame 200




The optimal complement for the Raised Bed 6.56 × 3.28 ft

Excellent thermal insulation due to UV-stabilized twin walls; stable, stainless aluminum frame; UV resistant windows with removable and adjustable windproof catches; expandable with Automatic Window Opener (art. no. 20047); stable connection to the raised bed (not included), incl. seal and protection brackets; with window fixation; 3 years guarantee



Art. no.	Description	Units	BARCODE
20443	Cold Frame 200 4 windows – saddleback roof Dim.: about 6.56 × 3.28 ft (200 × 100 cm), height 1.31/0.98 ft (40/30 cm)	Sales unit: 3 Pallet: 13 pcs. Box: 6 pcs.	9 001567 204437

Cold Frame 130/60




Ideally install on the raised bed "Timber"

Excellent thermal insulation due to UV-stabilized polycarbonate twin walls 0.16" (4 mm); Easy-Fix click-system; rounded plastic corner parts; 1 removable window with windproof catches; expandable with Automatic Window Opener (art. no. 20047); with window fixation to maintain the window in open position for comfortable planting and harvesting; 3 years guarantee



Art. no.	Description	Units	BARCODE
20342	Cold Frame 130/60 1 window Dim.: about 4.1 × 1.9 ft (126 × 58 cm), height 1.3/0.98 ft (40/30 cm) fits Raised Bed "Timber" (except Ergoline)	Sales unit: 1 Pallet: 22 pcs.	9 001567 203423

Accessory Automatic Window Opener



Opens with solar energy and closes windproof automatically in cold weather

Works with JUWEL cold frames without netting, and any cold frame or greenhouse on the market, where the windows open upwards, and with a window weight up to 15.43 lb (7 kg); adjustable opening temperature, from 59 to 77 °F (15 to 25 °C); works with solar energy, no electricity

Art. no.	Description	Units	BARCODE
20047	Automatic Window Opener 1 piece	Sales unit: 1 Box: 40 pcs.	9 001567 200477



Tortoise Home Paula | Extension



Bird protection net under the sliding windows

Detachable 8 mm thermo sliding windows made out of plexiglass Alltop quality with highest UV-A and UV-B transmission; swinging door with outer locking system; fixing of the window in the open position for easy feeding and cleaning; entirely made of rust-free aluminum and weather-resistant plastic parts; galvanized steel ground anchors included; 5 years guarantee

5
years
guarantee



Art. no.	Description	Units	BARCODE
20146	Tortoise Home Paula Dim.: about 3.3 × 2.5 ft (100 × 76.5 cm), height 1.7/1.4 ft (52/44 cm)	Sales unit: 1 Pallet: 18 pcs. Box: 8 pcs.	
20147	Extension Paula (without door) Dim.: about 3.3 × 2.5 ft (100 × 76.5 cm), height 1.7/1.4 ft (52/44 cm) Only to be used in combination with art. no. 20146	Sales unit: 1 Pallet: 18 pcs. Box: 8 pcs.	

Accessory Enclosure



An additional piece of joy of life for tortoises and Co

Made of heat-insulating, weather and frost resistant garden elements; expandable in length and height; hygienic – easy to clean; no risk of injury; 14 pcs. JUWEL garden elements with connection plugs for an individual arrangement; including mounting clips on tortoise home





Art. no.	Description	Units	BARCODE
20329	Enclosure Colour: terracotta	Sales unit: 1 Pallet: 20 pcs.	
20529	Enclosure Colour: basalt	Sales unit: 1 Pallet: 20 pcs.	

Vertical Garden Base Element



Modular system for balconies and terraces

Perfect for all plants with long roots; 3 planter trays, 1 removable water tray and 1 waterproof back wall; different fixing options




Art. no.	Description	Units	BARCODE
20130	Base Element Colour: titanium/lime Dim.: about 1.57 × 2.26 ft, d. 0.79 ft	Sales unit: 1 Pallet: 24 pcs. Box: 12 pcs.	
20126	Base Element Colour: titanium/saffron yellow Dim.: about 1.57 × 2.26 ft, d. 0.79 ft	Sales unit: 1 Pallet: 24 pcs. Box: 12 pcs.	
20133	Base Element Colour: titanium/titanium Dim.: about 1.57 × 2.26 ft, d. 0.79 ft	Sales unit: 1 Pallet: 24 pcs. Box: 12 pcs.	
20127	Stand for free-standing mounting of the base element; aluminum	Sales unit: 1	

Vertical Garden Extension



Modular system for balconies and terraces

3 planter trays, 1 waterproof back wall with fixing elements; total height (base element + extension) about 4.04 ft (123 cm)

Art. no.	Description	Units	BARCODE
20128	Extension Colour: titanium/lime Dim.: about 1.57 × 1.84 ft, d. 0.79 ft	Sales unit: 1 Pallet: 24 pcs. Box: 12 pcs.	
20125	Extension Colour: titanium/saffron yellow Dim.: about 1.57 × 1.84 ft, d. 0.79 ft	Sales unit: 1 Pallet: 24 pcs. Box: 12 pcs.	
20123	Extension Colour: titanium/titanium Dim.: about 1.57 × 1.84 ft, d. 0.79 ft	Sales unit: 1 Pallet: 24 pcs. Box: 12 pcs.	

SECOND PLACEMENTS GARDEN



Concept Cold Frame Large
length: 480 cm, depth: 175 cm



Concept Cold Frame Medium
length: 360 cm, depth: 175 cm



Concept Composter
length: 340 cm, depth: 175 cm, with sample



Concept Timber
length: 245 cm, depth: 140 cm with sample



Presentation display
Cold Frames Easy-Fix



Presentation display
Cold Frames



Presentation display
Cold Frames Easy-Fix 120/80



Presentation display
Bokashi Kitchen Compost Bin



WE ARE SUCCESSFUL TOGETHER AT THE POS

Advertising materials such as TOP banners, Vario Presenters, pallet covers and brochures are provided free of charge by JUWEL.

JUWEL H. Wüster GmbH

A-6460 Imst · Industriezone 19
Phone: (+43) 05412-6940-0 · Fax: 64838

D-82467 Garmisch-Partenkirchen · Rießerkopfstraße 21
Phone: (+49) 08821-1679 · Fax: 78545

E-mail: office@juwel.com
Orders: bestellung@juwel.com
Customer service: kund@juwel.com



Edition 2024

Subject to technical changes, printing and typesetting errors.
Printed on chlorine-free bleached paper.

Litho-Nr.: 661-11-23_GB