


Technische Daten





Artikelnummer:

229 010



Kontrolliert durch:









* Tür ist mit Sprossen


Q1- Qualitätsklasse für Fenster und Türen


Pos		Stck	Profil (mm)	Länge (mm)	
001		1	28x114	4500	
002		17	28x114	4500	
003		1	28x57	4500	
004		1	28x57	4500	
006		48	28x114	2500	
008		16	28x114	994	
009		1	28x57	993	
011		1	28x57	783	
012		16	28x114	783	
013		1	28x57	439	
014		16	28x114	439	
W1-1		1			
W2-1		1			
W3-1		1			
PF1		2	40x120	4500	
	DACHBRETTER	40+1	113x16	2708	
G02-1	GIEBELBRETTER 18x120	✓	2	18x120	2728
G05-1	GIEBELDECKLEISTEN 18x40	✓	2	18x40	2708
T06-1	TRAUFELEISTEN 18x40	✓		18x40	9 lfm
T02-1	TRAUFBRETTER 18x120		1	18x120	4540
T01-1	TRAUFBRETTER 18x95		1	18x95	4500
T04-1	TRAUFEDECKLEISTEN 18x40		1	18x40	4540
SM-1	Sturmleisten		2	18x40	1824
SM-2	Sturmleisten		2	18x40	1984
SH	Schlaghölzer		3		

Pos		Stck	Profil (mm)	Länge (mm)	
	<p style="text-align: center;">TÜR 1425x1831 D1-D28R-56C-14251831</p> <p style="text-align: center;">Q1 D201-RC 1425</p>  <div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 5px;"> <p>Right handed / DIN rechts / paremakäeline</p> </div> <div style="border: 1px solid black; padding: 5px;"> <p>Clear opening/ durchgangsmaß/ ava suurus 1337x1743mm</p>  </div> </div> <div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 5px;"> <p>Clear float glass klares Floatglas kirgas klaas 505x950mm</p>  </div> </div>	1			
PROSS H11-1	Q1-1 Muntins - Sprossen - Prossid horizontal 18x18		4	18x18	530
PROSS V12-1	Q1-2 Muntins - Sprossen - Prossid vertical 18x18		2	18x18	975
SR25 15-02	2.5x15 Locking plate - Schließblech - Riivi vastus 01 Q1		4		
SR30 22-01	3.0x20ÜP Muntins - Sprossen - Prossid		12		
SR30 25-01	3.0x25 Polt hinges - Bolzen Scharnier - Polthing		16		
SR40 50-01	4.0x50 Polt hinges - Bolzen Scharnier - Polthing		12		
SR50 90-01	5.0x90 Door frames - Türrahmen - Ukselengid		8		
RV0 1-01	Locking plate - Schließblech - Riivi vastus 01 Q1		2		
H03-Q1	Polt hinges - Bolzen Scharnier - Polthing Q1 Ø15 57mm		4		
LS-Q1	Q1 - Cylinder lock - Zylinderschloss - Lukusüdamik 30_30		1		
UL-Q1	Q1 Door handle - Türgriff - Ukselink		1		














Uks Q1 - koostamisjuhised
 Door Q1 - assembly instructions
 Tür Q1 - Montageanleitung



Uks Q1 - koostamisjuhised
 Door Q1 - assembly instructions
 Tür Q1 - Montageanleitung

